



## ALL MADE IN ZIRCONIA

Florence Zircoprox® Denture System



## THE COURAGE TO TRY SOMETHING NEW OPENS THE DOOR TO PROGRESS

In order to discover unthinkable possibilities and unleash the highest potential, the comfort zone has to be left behind. Being open-minded to new experiences and facing unknown situations can lead to previously undiscovered innovations.



## MINIMAL GINGIVAL LAYERING WITH FRESCO CERAMICS

With the new ceramic pastes Fresco Gingiva and Fresco Enamel, monolithic or slightly reduced zirconia structures can be quickly and easily layered in the gingival and vestibular tooth regions.

Compared to conventional ceramics, Fresco pastes remain moist for a longer time and can be modeled for several hours. Their consistency can be further personalized by adding the two mixing liquids Fresco Liquid and Fresco Gel, depending on the preferred working method.

Due to their high primary density, the pastes exhibit very low shrinkage. In this way, one firing cycle (Fresco firing n. 2) is sufficient to finish the gingiva after Fresco firing n. 1 (wash firing).



Digital design: DT Manuel Leimgruber – Zirkonzahn Education Center Brunico, South Tyrol, Italy Realization: DT Alexander Lichtmannegger – Zirkonzahn Education Center Brunico, South Tyrol, Italy



## HUMAN ZIRCONIUM TECHNOLOGY

Zirkonzahn USA Inc. – Phone +1 800 989 8931 – Fax +1 800 699 1813 – infousa@zirkonzahn.com Zirkonzahn Worldwide – Tel +39 0474 066 680 – info@zirkonzahn.com – www.zirkonzahn.com

PRETTAU®	PRETTAU® 4 ANTERIOR® DISPERSIVE®
Translucency ★ ☆ ☆	Translucency ★★★★
Flexural strength	Flexural strength  ★ ☆ ☆  (up to three-unit bridges)
Without color gradient Individual coloring with Colour Liquids	With natural color gradient Optional: individualization with Colour Liquids Intensive
Sintering temperature 1600 °C	Sintering temperature 1500 °C
Monolithic design in the posterior area possible	Monolithic design in the anterior and posterior area possible

